Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	45	anonymous near certificate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/07 15:06
L2	24	alias near certificate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/07 15:07
L4	15	pseudonym near certificate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/07 15:31
L5	1	(medical near record) WITH (random near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/07 15:33
S1	2	bjorn-vance.in.	USPAT	OR	OFF	2003/11/10 11:22
S2	257	713/155.ccls.	USPAT	OR	OFF	2003/11/05 13:37
S3	68	713/155.cor.	USPAT	OR	OFF	2003/11/05 13:38
S4	283	one near time near key	USPAT	OR .	OFF	2003/11/05 13:38
S5	403	one near time near key	USPAT	OR	ON	2003/11/05 13:38
S6	19	(one near time near key) WITH (public near key)	USPAT	OR	ON	2003/11/05 13:39
S7 .	0	((one near time near key) WITH (public near key)) and biometric	USPAT	OR	ON	2003/11/05 13:39
S8	23	(one near time near key) same (public near key)	USPAT	OR	ON	2004/06/10 17:11
S9	10	(one-time near key) same (public near key)	USPAT	OR	ON	2003/11/05 13:41
S10	79	one-time near key	USPAT	OR	ON	2003/11/05 13:46
S11	46	(one-time near key) and (public near key)	USPAT	OR	ON	2003/11/05 13:43
S12	2	((one-time near key) and (public near key)) and biometric	USPAT	OR	ON	2003/11/05 13:44
S13	46	(one-time near key) and (public near key)	USPAT	OR	ON	2003/11/05 15:26
S14	0	(one-time near key) and (public near key)	EPO	OR	ON	2003/11/05 13:47
S15	0	(one-time near key) and (public near key)	DERWENT	OR	ON	2003/11/05 13:47
S16	0	(one-time near key) and (public near key)	IBM_TDB	OR	ON	2003/11/05 13:47

		providence data and a state of the state of	· · · · · · · · · · · · · · · · · · ·	·	1	<del> </del>
S17	11490	once WITH key	USPAT	OR	ON	2003/11/05 14:04
S18	420	(once WITH key) same (public near key)	USPAT	OR	ON	2003/11/05 14:04
S19	1933	once near key	USPAT	OR	ON	2003/11/05 14:04
S20	38	(once near key) same (public near key)	USPAT	OR	ON	2003/11/05 14:12
S21	71	shockley.in.	USPAT	OR	ON	2003/11/05 14:53
S22	1	shockley.in. and biometric	USPAT	OR	ON	2003/11/05 14:54
S23	0	(shockley.in. and biometric) and (one near time)	USPAT	OR	ON	2003/11/05 14:54
S24	0	wwefewfewfewfewf	USPAT	OR	ON	2003/11/05 14:54
S25	5	(encrypt WITH (one-time near key)) and (public near key)	USPAT	OR	ON ·	2003/11/05 15:27
S26	17	(encrypt\$ WITH (one-time near key)) and (public near key)	USPAT	OR	ON	2003/11/05 15:32
S27	0	(disposable near key) same (public near key)	USPAT	OR	ON	2003/11/05 15:32
S28	0	(disposable near key) and (public near key)	USPAT	OR	ON	2003/11/05 15:32
S29	34	disposable near key	USPAT	OR	ON	2003/11/05 15:32
S30	25	(discard\$ or delet\$) WITH biometric	USPAT	OR	ON	2003/11/10 11:28
S31	1	"6581161".pn.	USPAT	OR	ON	2003/11/10 12:34
S32	1	"6581161".pn. and advantag\$	USPAT	OR	ON	2003/11/10 12:52
S33	18439	additional near data	USPAT	OR	ON	2003/11/10 11:39
S34	0	(additional near data) same (authentication near policy)	USPAT	OR	ON	2003/11/10 11:35
S35	31	authentication near policy	USPAT	OR	ON	2003/11/10 11:35
S36	372	(additional near data) same (policy or right)	USPAT	OR	ON	2003/11/10 11:39
S37	4	((additional near data) same (policy or right)) same server	USPAT	OR	ON	2003/11/10 11:38
S38	211	request near additional near data	USPAT	OR	ON	2003/11/10 11:39
S39	4	(request near additional near data) same (policy or right)	USPAT	OR	ON	2003/11/10 11:40
S40	118	(request near additional near data) and (policy or right)	USPAT	OR	ON	2003/11/10 11:41
S41	74	((request near additional near data) and (policy or right)) and server	USPAT	OR	ON	2003/11/10 11:41
S42	1	"5692106".pn.	USPAT	OR	ON	2003/11/10 12:34
S43	1	"5692106".pn. and advantag\$	USPAT	OR	ON	2003/11/10 12:44
S44	20	client WITH nonce	USPAT	OR	ON	2003/11/10 12:52

			·			
S45	1	"6119227".pn.	USPAT	OR	ON	2003/11/10 13:34
S46	1	"6119227".pn. and advantag\$	USPAT	OR	ON	2003/11/10 12:52
S47	1	"5838792".pn.	USPAT	OR	ON	2003/11/10 13:40
S48	0	"5838792".pn. and (password or id)	USPAT	OR	ON	2003/11/10 13:35
S49	0	"5838792".pn. and password	USPAT	OR	ON	2003/11/10 13:35
S50	0	"5838792".pn. and id	USPAT	OR	ON	2003/11/10 13:36
S51	1	"5838792".pn. and ident\$	USPAT	OR	ON	2003/11/10 13:37
S52	1	"5748735".pn.	USPAT	OR	ON	2003/11/10 13:54
S53	1	"5748735".pn. and password	USPAT	OR	ON	2003/11/10 13:48
S54	1	"5748735".pn. and (decrypt\$ WITH session With key)	USPAT	OR	ON	2003/11/10 13:48
S55	1	"6233685".pn.	USPAT	OR	ON	2003/11/10 14:01
S56	1	"6233685".pn. and random near key	USPAT	OR	ON	2003/11/10 13:55
S57	0	"6233685".pn. and random near id	USPAT	OR	ON	2003/11/10 13:55
S58	0	"6233685".pn. and random near identification	USPAT	OR	ON	2003/11/10 13:55
S59	. 1	"6233685".pn. and random	USPAT	OR	ON	2003/11/10 13:55
S60	1	"6581161".pn.	USPAT	OR	ON	2003/11/10 13:59
S61	0	"6581161".pn. and discard	USPAT	OR	ON	2003/11/10 13:59
S62	0	"6581161".pn. and delete	USPAT	OR	ON	2003/11/10 13:59
S63	0	"6581161".pn. and discarding	USPAT	OR	ON	2003/11/10 13:59
S64	1	"6581161".pn. and deleting	USPAT	OR	ON	2003/11/10 13:59
S65	. 1	"5692106".pn.	USPAT	OR	ON	2003/11/10 14:05
S66	1	"5692106".pn. and policy	USPAT	OR	ON	2003/11/10 14:03
S67	1	"5692106".pn. and additional	USPAT	OR	ON	2003/11/10 14:03
S68	1	"6119227".pn.	USPAT	OR	ON	2003/11/10 14:05
S69	1	"6119227".pn. and nonce	USPAT	OR	ON	2003/11/10 14:05
S70	1	"6151676".pn.	USPAT	OR	ON	2004/06/10 17:11
S71	1	"6151676".pn. and password	USPAT	OR	ON	2004/06/10 17:35
S72	1	"6151676".pn. and symmetric	USPAT	OR	ON	2004/06/10 17:34
S73	146	kerberos and (one near time)	USPAT	OR	ON	2004/06/10 17:34
S74	107	(kerberos and (one near time)) and ID and password	USPAT	OR	ON	2004/06/10 17:34
S75	0	"6151676".pn. and discard\$	USPAT	OR	ON	2004/06/10 17:35
S76	0	("6151676".pn. and discard\$) and biometric	USPAT	OR	ON	2004/06/10 17:36
S77	35	((kerberos and (one near time)) and ID and password) and biometric	USPAT	OR	ON	2004/06/10 17:36

			T .	<u> </u>	<b>T</b>	1
S78	450	one near time near key	USPAT	OR	ON	2005/04/14 10:45
S79	5	S78 WITH encrypt\$ WITH (public near1 key)	USPAT	OR	ON	2005/04/14 10:47
S80	3	S79 and password	USPAT	OR	ON	2005/04/14 10:47
S81	272	(session near1 key) WITH encrypt\$ WITH (public near1 key)	USPAT	OR	ON	2005/04/14 10:47
S82	3	(session near1 key) WITH encrypt\$ WITH (user near1 public near1 key)	USPAT	OR	ON	2005/04/14 10:47
S83	3	S82 and password	USPAT	OR	ON	2005/04/14 10:48
S84	152	biometric and (session near1 key)	USPAT	OR	ON	2005/04/14 10:52
S85	17	biometric same (session near1 key)	USPAT	OR	ON	2005/04/14 10:48
S86	17	S85 same encrypt\$	USPAT	OR	ON	2005/04/14 10:49
S87	130	biometric and ((session near1 key) WITH encrypt\$)	USPAT	OR	ON	2005/04/14 10:53
S88	. 88	biometric and ((session near1 key) WITH encrypt\$ WITH (public near1 key))	USPAT	OR	ON	2005/04/14 10:57
S89	87	S88 and decrypt\$	USPAT	OR	ON	2005/04/14 11:28
S90	1	"6853988".pn.	USPAT	OR	ON	2005/04/14 11:28
S91	0	S90 and (biometric same session)	USPAT	OR	ON	2005/04/14 11:28
S92	1	S90 and (biometric and session)	USPAT	OR	ON	2005/04/14 11:28
S93	1	S90 and session with encrypt\$	USPAT	OR	ON	2005/04/14 11:31
S94	1	S90 and web	USPAT	OR	ON	2005/04/14 11:34
S95	0	S90 and web same biometric	USPAT	OR	ON	2005/04/14 11:32
S96	0	S90 and web same password	USPAT	OR	ON	2005/04/14 11:32
S97	1	S90 and password	USPAT	OR	ON	2005/04/14 11:35
S98	. 1	S90 and private near1 key	USPAT	OR	ON	2005/04/14 11:36
S99	1	S90 and encrypt\$ with biometric	USPAT	OR	ON	2005/04/14 11:37
S10 0	1	S90 and symmetric	USPAT	OR	ON	2005/04/14 11:37
S10 1	1122	random WITH authenticat\$	USPAT	OR	ON	2005/11/07 16:57
S10 2	28	link\$ WITH random WITH authenticat\$	USPAT	OR	ON	2005/11/07 17:08
S10 3	23	S102 and encrypt\$	USPAT	OR	ON	2005/11/07 17:06
S10 4	23	S102 and (encrypt\$ WITH key)	USPAT	OR	ON	2005/11/07 17:06
S10 5	39	(random near (ID or identification or identifier)) WITH authenticat\$	USPAT	OR	ON	2005/11/08 09:53

			·	1		
S10 6	1	"5856659".pn.	USPAT	OR	ON	2005/11/08 09:48
S10 7	1	"6,233,685".pn.	USPAT	OR	ON	2005/11/08 09:53
S10 8	4	(random near (ID or identification or identifier)) WITH (password or PIN)	USPAT	OR	ON	2005/11/08 09:54
S10 9	1	"6,853,988".pn.	USPAT	OR	ON	2005/11/08 11:35
S11 0	343	random WITH (ID or identification or identifier) WITH (authenticat\$ or password or PIN)	USPAT	OR	ON	2005/11/08 09:55
S11 1	35	random near3 (ID or identification or identifier) near3 (authenticat\$ or password or PIN)	USPAT	OR	ON	2005/11/08 09:55
S11 2	1	S109 and private	USPAT	OR	ON	2005/11/08 11:34
S11 3	1	"6006334".pn.	USPAT	OR	ON	2005/11/08 11:35
S11 4	1	S113 and random	USPAT	OR	ON	2005/11/08 11:35
S11 5	14506	random adj number	USPAT	OR	ON	2006/04/04 16:55
S11 6	1123	S115 WITH user	USPAT	OR	ON	2006/04/04 16:58
S11 7	74	S115 WITH associat\$ WITH user	USPAT	OR	ON	2006/04/04 16:56
S11 8	487	public WITH key WITH encrypt\$ WITH session WITH key	USPAT	OR	ON	2006/04/04 16:56
S11 9	3	S117 and S118	USPAT	OR	ON	2006/04/04 16:59
S12 0	216	S115 and S118	USPAT	OR	ON	2006/04/04 16:57
S12	83	S115 WITH user WITH ID	USPAT	OR	ON	2006/04/04 16:58
S12 2	1	S121 and S118	USPAT	OR	ON	2006/04/04 17:08
S12 3	17	link\$ WITH (random adj number) WITH authenticat\$	USPAT	OR	ON	2007/06/07 14:30
S12 4	0	S118 and S123	USPAT	OR	ON	2006/04/04 17:09
S12 5	262	(random adj number) WITH password	USPAT	OR	ON	2006/04/05 09:42
S12 6	487	public WITH key WITH encrypt\$ WITH session WITH key	USPAT	OR	ON	2006/04/05 09:34

S12 7	7	S125 and S126	USPAT	OR	ON	2006/04/05 09:43
S12 8	116	(random adj number) WITH (biometric or fingerprint or retina or voice)	USPAT	OR	ON	2006/04/05 09:42
S12 9	2	S128 and S126	USPAT	OR	ON	2006/04/05 10:17
S13 0	2	S129 and decrypt\$	USPAT	OR	ON	2006/04/05 10:18
S13	1	"6,594,376".pn.	USPAT	OR	ON	2006/09/25 09:58
S13 2	1	S131 and random	USPAT	OR	ON	2006/09/25 10:00
S13 3	1	S131 and (id identifier)	USPAT	OR	ON	2006/09/25 10:01
S13 4	1	S131 and (database)	USPAT	OR	ON	2006/09/25 10:21
S13 5	8	S131 and biometric near record	USPAT	OR	ON	2006/09/25 10:21
S13 6	1	S131 and biometric with pin	USPAT	OR	ON	2006/09/25 10:21